SIEMENS

Data sheet

6GK5124-0BA00-2AB2

SCALANCE XB124 unmanaged IE switch, 24x 10/100 Mbit/s RJ45 ports; for setting up small star and line topologies; LED diagnostics, IP20, Redundant power supply, 24 V AC/DC Manual available as a download



SCALANCE XB124		
10 Mbit/s, 100 Mbit/s		
24; RJ45		
1		
1		
Supply voltage, current consumption, power loss		
AC/DC		
24 V		
19.2 V		
28.8 V		
24 V		



Product component / fusing at power supply input	Yes
Fuse protection type / at input for supply voltage	0.6 A / 60 V
Consumed current / maximum	0.3 A
Power loss [W]	
• at DC / at 24 V	7.2 W
Permitted ambient conditions	
Ambient temperature	
 during operation 	0 60 °C
 during storage 	-40 +80 °C
during transport	-40 +80 °C
Relative humidity	
 at 25 °C / without condensation / during 	95 %
operation / maximum	
Protection class IP	IP20
Design, dimensions and weight	
Design	compact
Width	120 mm
Height	117 mm
Depth	109 mm
Net weight	0.535 kg
Mounting type	
 35 mm DIN rail mounting 	Yes
• wall mounting	No
 S7-300 rail mounting 	No
 S7-1500 rail mounting 	No
Product functions / management, configuration	
Product function	
multiport mirroring	No
• CoS	Yes
PROFINET conformity class	A
Product function / switch-managed	No
Product functions / Redundancy	
Product function	
 Parallel Redundancy Protocol (PRP)/operation in the PRP-network 	Yes
 Parallel Redundancy Protocol (PRP)/Redundant Network Access (RNA) 	No
Standards, specifications, approvals	
Standard	
• for FM	FM3611: Class 1, Divison 2, Group A, B, C, D / T4, CL.1, Zone 2, GP. IIC, T4



• for hazardous zone	EN 60079-0:2009, EN60079-15:2010, II 3 G Ex nA IIC T4 Gc, KEMA 07ATEX0145 X	
 for safety / from CSA and UL 	UL 60950-1, CSA C22.2 No. 60950-1	
 for emitted interference 	EN 61000-6-4 (Class B)	
 for interference immunity 	61000-6-2	
-		
Standards, specifications, approvals / CE	Vee	
Certificate of suitability / CE marking	Yes	
Standards, specifications, approvals / hazardous er	nvironments	
Certificate of suitability		
• IECEx	Yes; IEC 60079-0, IEC 60079-15, IECEx DEK 14.0025X, Ex nA IIC T4 Gc	
Standards, specifications, approvals / miscellaneou	S	
Certificate of suitability	EN 61000-6-2, EN 61000-6-4	
 Regulatory Compliance Mark (RCM) 	Yes	
 KC approval 	Yes	
Standards, specifications, approvals / product conformity		
MTBF	57 у	
Further Information / Internet Links		
Internet-Link		
 to website: Selector SIMATIC NET 	http://www.siemens.com/snst	
SELECTION TOOL		
 to website: Industrial communication 	http://www.siemens.com/simatic-net	
 to website: Industry Mall 	https://mall.industry.siemens.com	
 to website: Information and Download Center 	http://www.siemens.com/industry/infocenter	
 to website: Image database 	http://automation.siemens.com/bilddb	
 to website: CAx Download Manager 	http://www.siemens.com/cax	
 to website: Industry Online Support 	https://support.industry.siemens.com	



Security information

Siemens provides products and solutions with industrial security functions that support the secure operation of plants, solutions, machines, equipment and/or networks. They are important components in a holistic industrial security concept. With this in mind, Siemens' products and solutions undergo continuous development. Siemens recommends strongly that you regularly check for product updates. For the secure operation of Siemens products and solutions, it is necessary to take suitable preventive action(e.g. cell protection concept) and integrate each component into a holistic, state-of-the-art industrial security concept. Thirdparty products that may be in use should also be considered. For more information about industrial security, visit http://www.siemens.com/industrialsecurity. To stay informed about product updates as they occur, sign up for a product-specific newsletter. For more information, visit http://support.automation.siemens.com. (V3.4)

last modified:

10/30/2018

