SIEMENS

Data sheet



SCALANCE XB208 managed Layer 2 IE switch 8x 10/100 Mbit/s RJ45 ports 1x console port, diagnostics LED redundant power supply IEC 62443-4-2 certified; temperature range 0 to +60 °C DIN-rail mounting; default EtherNet/IP.

product type designation	SCALANCE XB208	
transfer rate		
transfer rate	10 Mbit/s, 100 Mbit/s	
number of ports / maximum	8	
interfaces / for communication / maximum configuration for modular devices		
number of electrical ports / maximum	8	
interfaces / for communication / integrated		
number of electrical connections		
 for network components or terminal equipment 	8; RJ45	
interfaces / other		
number of electrical connections		
• for operator console	1	
 for management purposes 	1	
for power supply	1	
type of electrical connection		
 for operator console 	RJ11	
 for management purposes 	RJ45	
supply voltage, current consumption, power loss		
product component / connection for redundant voltage supply	Yes	
type of voltage / 1 / of the supply voltage	DC	
supply voltage / 1 / rated value	24 V	
supply voltage / 1 / rated value	19.2 28.8 V	
 consumed current / 1 / maximum 	0.17 A	
 type of electrical connection / 1 / for power supply 	6-pole terminal block	
 product component / 1 / fusing at power supply input 	Yes	
ambient conditions		
ambient temperature		
 during operation 	0 60 °C	
during storage	-40 +70 °C	
during transport	-40 +70 °C	
relative humidity		
 at 25 °C / without condensation / during operation / maximum 	95 %	
protection class IP	IP20	
design, dimensions and weights		
design	compact	
width	40 mm	
height	117 mm	
depth	109 mm	
net weight	0.25 kg	

	D
material / of the enclosure	Polycarbonate (PC-GF10)
fastening method	
35 mm top hat DIN rail mounting	Yes
product features, product functions, product components / gene	
cascading in the case of a redundant ring / at reconfiguration time of <\~0.3\~s	50
cascading in cases of star topology	any (depending only on signal propagation time)
product functions / management, configuration, engineering	
product function	
• CLI	Yes
 web-based management 	Yes
 MIB support 	Yes
TRAPs via email	Yes
configuration with STEP 7	Yes
• RMON	Yes
 port mirroring 	Yes
multiport mirroring	No
• CoS	Yes
PROFINET IO diagnosis	Yes
PROFINET conformity class	В
network load class / according to PROFINET	3
product function / switch-managed	Yes
telegram length / for Ethernet / maximum	1632 byte
protocol / is supported	
• Telnet	Yes
• HTTP	Yes
• HTTPS	Yes
• TFTP	Yes
• FTP	Yes
• DCP	Yes
• LLDP	Yes
• EtherNet/IP	Yes
SNMP v1	Yes
• SNMP v2	Yes
• SNMP v3	Yes
IGMP (snooping/querier)	Yes
identification & maintenance function	V.
1&M0 - device-specific information	Yes
I&M1 - higher level designation/location designation	Yes
product function	Vest according to IEC 04400 4-0000
• is supported / identification link	Yes; according to IEC 61406-1:2022
product functions / diagnostics	
product function	Vec
port diagnostics attatiation Packet Size	Yes
statistics Packet Size statistics packet type	Yes
statistics packet type server statistics	Yes
error statistics Syclog	Yes
SysLog loophack diagnostics	Yes
loopback diagnostics product functions / VLAN	Yes
product function	Von
VLAN - port based number of VLANs / maximum	Yes 257
	257
number of VLANs - dynamic / maximum number of VLANs / at ring redundancy (HRP; MRP; standby	257 257
link)	251
product functions / DHCP	
product function	
DHCP client	Yes
product functions / redundancy	
product function	



of the PROFINET IO device / is supported / PROFINET overteen redundance/	No
system redundancy	Voa
• ring redundancy	Yes
High Speed Redundancy Protocol (HRP)	Yes
 high speed redundancy protocol (HRP) with redundancy manager 	Yes
 high speed redundancy protocol (HRP) with standby redundancy 	Yes
protocol / is supported / Media Redundancy Protocol (MRP)	Yes
product function	
 media redundancy protocol (MRP) with redundancy manager 	Yes
Media Redundancy Protocol Interconnection (MRP-I)	Yes
redundancy procedure STP	Yes
• redundancy procedure RSTP	Yes
• redundancy procedure RSTP+	Yes
Parallel Redundancy Protocol (PRP)/operation in the PRP-network	No
passive listening	Yes
protocol / is supported	,
• LACP	Yes
product functions / security	160
product function	v
• ACL - MAC-based	Yes
 ACL - port/MAC-based 	Yes
• IEEE 802.1x (radius)	Yes
 broadcast/multicast/unicast limiter 	Yes
broadcast blocking	Yes
protocol / is supported	
• SSH	Yes
• SSL	Yes
product functions / time	
product function	
product function • SICLOCK support	Yes
·	Yes Yes
SICLOCK support	
SICLOCK support NTP-client	Yes
SICLOCK supportNTP-clientSNTP client	Yes
SICLOCK support NTP-client SNTP client protocol / is supported SNTP	Yes Yes
SICLOCK support NTP-client SNTP client protocol / is supported SNTP standards, specifications, approvals	Yes Yes
SICLOCK support NTP-client SNTP client protocol / is supported SNTP	Yes Yes
SICLOCK support NTP-client SNTP client protocol / is supported SNTP standards, specifications, approvals standard	Yes Yes Yes FM3611: Class 1, Division 2, Group A, B, C, D / T4, CL.1, Zone 2, GP. IIC, T4,
SICLOCK support NTP-client SNTP client protocol / is supported SNTP standards, specifications, approvals standard for FM for emitted interference	Yes Yes Yes Yes FM3611: Class 1, Division 2, Group A, B, C, D / T4, CL.1, Zone 2, GP. IIC, T4, FM19US0167X
SICLOCK support NTP-client SNTP client protocol / is supported SNTP standards, specifications, approvals standard for FM	Yes Yes Yes Yes FM3611: Class 1, Division 2, Group A, B, C, D / T4, CL.1, Zone 2, GP. IIC, T4, FM19US0167X EN 61000-6-4 (Class A)
SICLOCK support NTP-client SNTP client protocol / is supported SNTP standards, specifications, approvals standard for FM for emitted interference for interference immunity IT security for industrial automation systems / according to IEC	Yes Yes Yes FM3611: Class 1, Division 2, Group A, B, C, D / T4, CL.1, Zone 2, GP. IIC, T4, FM19US0167X EN 61000-6-4 (Class A) EN 61000-6-2
SICLOCK support NTP-client SNTP client protocol / is supported SNTP standards, specifications, approvals standard for FM for emitted interference for interference immunity IT security for industrial automation systems / according to IEC 62443-4-2:2019	Yes Yes Yes FM3611: Class 1, Division 2, Group A, B, C, D / T4, CL.1, Zone 2, GP. IIC, T4, FM19US0167X EN 61000-6-4 (Class A) EN 61000-6-2 Yes
SICLOCK support NTP-client SNTP client protocol / is supported SNTP standards, specifications, approvals standard for FM for emitted interference for interference immunity IT security for industrial automation systems / according to IEC 62443-4-2:2019 MTBF reference code	Yes Yes Yes FM3611: Class 1, Division 2, Group A, B, C, D / T4, CL.1, Zone 2, GP. IIC, T4, FM19US0167X EN 61000-6-4 (Class A) EN 61000-6-2 Yes
SICLOCK support NTP-client SNTP client protocol / is supported SNTP standards, specifications, approvals standard for FM for emitted interference for interference immunity IT security for industrial automation systems / according to IEC 62443-4-2:2019 MTBF reference code according to IEC 81346-2	Yes Yes Yes Yes FM3611: Class 1, Division 2, Group A, B, C, D / T4, CL.1, Zone 2, GP. IIC, T4, FM19US0167X EN 61000-6-4 (Class A) EN 61000-6-2 Yes 84 a KF
SICLOCK support NTP-client SNTP client protocol / is supported SNTP standards, specifications, approvals standard for FM for emitted interference for interference immunity IT security for industrial automation systems / according to IEC 62443-4-2:2019 MTBF reference code according to IEC 81346-2 according to IEC 81346-2:2019	Yes Yes Yes FM3611: Class 1, Division 2, Group A, B, C, D / T4, CL.1, Zone 2, GP. IIC, T4, FM19US0167X EN 61000-6-4 (Class A) EN 61000-6-2 Yes 84 a
SICLOCK support NTP-client SNTP client protocol / is supported SNTP standards, specifications, approvals standard for FM for emitted interference for interference immunity IT security for industrial automation systems / according to IEC 62443-4-2:2019 MTBF reference code according to IEC 81346-2 according to IEC 81346-2:2019 standards, specifications, approvals / CE	Yes Yes Yes FM3611: Class 1, Division 2, Group A, B, C, D / T4, CL.1, Zone 2, GP. IIC, T4, FM19US0167X EN 61000-6-4 (Class A) EN 61000-6-2 Yes 84 a KF KFE
SICLOCK support NTP-client SNTP client protocol / is supported SNTP standards, specifications, approvals standard for FM for emitted interference for interference immunity IT security for industrial automation systems / according to IEC 62443-4-2:2019 MTBF reference code according to IEC 81346-2 according to IEC 81346-2:2019 standards, specifications, approvals / CE certificate of suitability / CE marking	Yes Yes Yes FM3611: Class 1, Division 2, Group A, B, C, D / T4, CL.1, Zone 2, GP. IIC, T4, FM19US0167X EN 61000-6-4 (Class A) EN 61000-6-2 Yes 84 a KF KFE
SICLOCK support NTP-client SNTP client protocol / is supported SNTP standards, specifications, approvals standard for FM for emitted interference for interference immunity IT security for industrial automation systems / according to IEC 62443-4-2:2019 MTBF reference code according to IEC 81346-2 according to IEC 81346-2:2019 standards, specifications, approvals / CE certificate of suitability / CE marking certificate of suitability / RoHS conformity	Yes Yes Yes FM3611: Class 1, Division 2, Group A, B, C, D / T4, CL.1, Zone 2, GP. IIC, T4, FM19US0167X EN 61000-6-4 (Class A) EN 61000-6-2 Yes 84 a KF KFE
SICLOCK support NTP-client SNTP client protocol / is supported SNTP standards, specifications, approvals standard for FM for emitted interference for interference immunity IT security for industrial automation systems / according to IEC 62443-4-2:2019 MTBF reference code according to IEC 81346-2 according to IEC 81346-2:2019 standards, specifications, approvals / CE certificate of suitability / CE marking certificate of suitability / RoHS conformity standards, specifications, approvals / hazardous environments	Yes Yes Yes FM3611: Class 1, Division 2, Group A, B, C, D / T4, CL.1, Zone 2, GP. IIC, T4, FM19US0167X EN 61000-6-4 (Class A) EN 61000-6-2 Yes 84 a KF KFE Yes Yes; 2011/65/EU
SICLOCK support NTP-client SNTP client protocol / is supported SNTP standards, specifications, approvals standard for FM for emitted interference for interference immunity IT security for industrial automation systems / according to IEC 62443-4-2:2019 MTBF reference code according to IEC 81346-2 according to IEC 81346-2:2019 standards, specifications, approvals / CE certificate of suitability / CE marking certificate of suitability / RoHS conformity	Yes Yes Yes Yes FM3611: Class 1, Division 2, Group A, B, C, D / T4, CL.1, Zone 2, GP. IIC, T4, FM19US0167X EN 61000-6-4 (Class A) EN 61000-6-2 Yes 84 a KF KFE Yes Yes; 2011/65/EU EN 60079-0 : 2006, EN 60079-15: 2005, II 3 G Ex nA II T4 KEMA 07 ATEX
SICLOCK support NTP-client SNTP client protocol / is supported SNTP standards, specifications, approvals standard for FM for emitted interference for interference immunity IT security for industrial automation systems / according to IEC 62443-4-2:2019 MTBF reference code according to IEC 81346-2 according to IEC 81346-2:2019 standards, specifications, approvals / CE certificate of suitability / CE marking certificate of suitability / RoHS conformity standards, specifications, approvals / hazardous environments	Yes Yes Yes Yes FM3611: Class 1, Division 2, Group A, B, C, D / T4, CL.1, Zone 2, GP. IIC, T4, FM19US0167X EN 61000-6-4 (Class A) EN 61000-6-2 Yes 84 a KF KFE Yes Yes; 2011/65/EU EN 60079-0: 2006, EN 60079-15: 2005, II 3 G Ex nA II T4 KEMA 07 ATEX 0145X ANSI / ISA 12.12.01, CSA C22.2 No. 213-M1987, CL. 1 / Div. 2 / GP. A, B, C,
SICLOCK support NTP-client SNTP client protocol / is supported SNTP standards, specifications, approvals standard for FM for emitted interference for interference immunity IT security for industrial automation systems / according to IEC 62443-4-2:2019 MTBF reference code according to IEC 81346-2 according to IEC 81346-2:2019 standards, specifications, approvals / CE certificate of suitability / CE marking certificate of suitability / RoHS conformity standards, specifications, approvals / hazardous environments standard / for hazardous zone from CSA and UL	Yes Yes Yes Yes FM3611: Class 1, Division 2, Group A, B, C, D / T4, CL.1, Zone 2, GP. IIC, T4, FM19US0167X EN 61000-6-4 (Class A) EN 61000-6-2 Yes 84 a KF KFE Yes Yes; 2011/65/EU EN 60079-0 : 2006, EN 60079-15: 2005, II 3 G Ex nA II T4 KEMA 07 ATEX 0145X
SICLOCK support NTP-client SNTP client protocol / is supported SNTP standards, specifications, approvals standard for FM for emitted interference for interference immunity IT security for industrial automation systems / according to IEC 62443-4-2:2019 MTBF reference code according to IEC 81346-2 according to IEC 81346-2:2019 standards, specifications, approvals / CE certificate of suitability / CE marking certificate of suitability / RoHS conformity standards, specifications, approvals / hazardous environments standard / for hazardous zone from CSA and UL certificate of suitability	Yes Yes Yes Yes Yes FM3611: Class 1, Division 2, Group A, B, C, D / T4, CL.1, Zone 2, GP. IIC, T4, FM19US0167X EN 61000-6-4 (Class A) EN 61000-6-2 Yes 84 a KF KFE Yes Yes; 2011/65/EU EN 60079-0: 2006, EN 60079-15: 2005, II 3 G Ex nA II T4 KEMA 07 ATEX 0145X ANSI / ISA 12.12.01, CSA C22.2 No. 213-M1987, CL. 1 / Div. 2 / GP. A, B, C, D T4, CL. 1 / Zone 2 / GP. IIC, T4, E240480
SICLOCK support NTP-client SNTP client protocol / is supported SNTP Standards, specifications, approvals standard for FM for emitted interference for interference immunity IT security for industrial automation systems / according to IEC 62443-4-2:2019 MTBF reference code according to IEC 81346-2 according to IEC 81346-2:2019 Standards, specifications, approvals / CE certificate of suitability / CE marking certificate of suitability / RoHS conformity Standards, specifications, approvals / hazardous environments standard / for hazardous zone from CSA and UL certificate of suitability CCC / for hazardous zone according to GB standard	Yes Yes Yes Yes Yes FM3611: Class 1, Division 2, Group A, B, C, D / T4, CL.1, Zone 2, GP. IIC, T4, FM19US0167X EN 61000-6-4 (Class A) EN 61000-6-2 Yes 84 a KF KFE Yes Yes; 2011/65/EU EN 60079-0: 2006, EN 60079-15: 2005, II 3 G Ex nA II T4 KEMA 07 ATEX 0145X ANSI / ISA 12.12.01, CSA C22.2 No. 213-M1987, CL. 1 / Div. 2 / GP. A, B, C, D T4, CL. 1 / Zone 2 / GP. IIC, T4, E240480 Yes; GB3836.1, GB3836.8
SICLOCK support NTP-client SNTP client protocol / is supported SNTP standards, specifications, approvals standard for FM for emitted interference for interference immunity IT security for industrial automation systems / according to IEC 62443-4-2:2019 MTBF reference code according to IEC 81346-2 according to IEC 81346-2:2019 standards, specifications, approvals / CE certificate of suitability / CE marking certificate of suitability / RoHS conformity standards, specifications, approvals / hazardous environments standard / for hazardous zone from CSA and UL certificate of suitability	Yes Yes Yes Yes Yes FM3611: Class 1, Division 2, Group A, B, C, D / T4, CL.1, Zone 2, GP. IIC, T4, FM19US0167X EN 61000-6-4 (Class A) EN 61000-6-2 Yes 84 a KF KFE Yes Yes; 2011/65/EU EN 60079-0: 2006, EN 60079-15: 2005, II 3 G Ex nA II T4 KEMA 07 ATEX 0145X ANSI / ISA 12.12.01, CSA C22.2 No. 213-M1987, CL. 1 / Div. 2 / GP. A, B, C, D T4, CL. 1 / Zone 2 / GP. IIC, T4, E240480



EN 61000-6-2, EN 61000-6-4 certificate of suitability C-Tick KC approval Yes standards, specifications, approvals / Environmental Product Declaration **Environmental Product Declaration** • Global Warming Potential [CO2 eq] / total 252.5 kg • Global Warming Potential [CO2 eq] / during 26.6 kg manufacturing • Global Warming Potential [CO2 eq] / during operation 225.28 kg • global warming potential [CO2 eq] / after end of life 0.6 kg internet link • to web page: selection aid TIA Selection Tool http://www.siemens.com/tia-selection-tool • to website: Industrial communication http://www.siemens.com/simatic-net • to website: Industry Mall https://mall.industry.siemens.com • to website: Information and Download Center http://www.siemens.com/industry/infocenter • to website: Selection guide for cables and connectors https://sie.ag/2QdlxcP • to website: Image database http://automation.siemens.com/bilddb • to website: CAx-Download-Manager http://www.siemens.com/cax • to website: Industry Online Support https://support.industry.siemens.com security information Siemens provides products and solutions with industrial security functions that support the secure operation of plants, systems, machines and networks. In order to protect plants, systems, machines and networks against cyber threats, it is necessary to implement - and continuously maintain - a holistic, state-ofthe-art industrial security concept. Siemens' products and solutions constitute one element of such a concept. Customers are responsible for preventing unauthorized access to their plants, systems, machines and networks. Such systems, machines and components should only be connected to an enterprise network or the internet if and to the extent such a connection is necessary and only when appropriate security measures (e.g. firewalls and/or network segmentation) are in place. For additional information on industrial security measures that may be implemented, please visit https://www.siemens.com/industrialsecurity. Siemens' products and solutions undergo continuous development to make them more secure. Siemens strongly

Approvals / Certificates

General Product Approval

EMC

For use in hazardous locations

Manufacturer Declaration



Miscellaneous



https://www.siemens.com/cert. (V4.6)

ATEX-Zone 2-Declaration

recommends that product updates are applied as soon as they are available and that the latest product versions are used. Use of product versions that are no longer supported, and failure to apply the latest updates may increase customer's exposure to cyber threats. To stay informed about product updates,

subscribe to the Siemens Industrial Security RSS Feed under



For use in hazardous locations

Declaration of Conformity

<u>FM</u>

CCC-Ex



C E





Declaration of Conformity

other

Environment

Manufacturer Declaration <u>Miscellaneous</u>

PROFINET-Certification



last modified:

11/21/2023



